

CBSE CLASS 9 MATHEMATICS

NCERT Curriculum Reference Series

CHAPTER 13: SURFACE AREA AND VOLUME

ULTRA-PREMIUM WEBSITE-READY STUDY NOTES

Comprehensive Mensuration Analysis, Pure Solid Derivations, Fluid Capacity Metrics, and Error Diagnostics



KEY STRUCTURAL COMPONENTS INSIDE:

- **Curriculum Alignment Baseline:** Fully verified against the latest rationalized syllabus, focusing on Cubes, Cuboids, and Right Circular Cylinders.
- **Theoretical Depth Mappings:** Exhaustive breakdowns of Lateral, Curved, and Total boundary surfaces alongside solid volume displacement and fluid capacity integrations.
- **Geometric Visualization Layouts:** Clean text-based structural diagrams labeling internal dimensions, linear parameters, radii, and perpendicular axes.
- **Advanced Revision Sheets:** Compact property sheets, operational mnemonics, multi-tier flowcharts, and rapid 30-second exam recall blocks.

Premium Digital Publication Resource • Optimized for Student Revision, Classroom Delivery, and Web Publishing

1. CHAPTER INTRODUCTION

In our study of geometry, we have explored flat, two-dimensional shapes such as rectangles, triangles, and circles. These figures exist completely in a single flat plane and possess only two measurable parameters: length and breadth. However, the physical objects we interact with in real life—like boxes, pipes, and tanks—possess a third dimension: thickness or height. This field of mathematics is called **Mensuration**, which deals specifically with measuring the geometric attributes of three-dimensional solid figures.

This chapter explores the relationship between two vital properties of 3D objects: **Surface Area** and **Volume**. Surface Area measures the total outer bounding area of an object, which is crucial for determining material needs like painting or wrapping. Volume measures the total internal space an object occupies, which is essential for determining structural capacities. This chapter focuses on three foundational solid shapes: the **Cube**, the **Cuboid**, and the **Right Circular Cylinder**.



REAL-LIFE APPLICATIONS OF MENSURATION

- **Industrial Packaging & Manufacturing:** Packaging companies use surface area calculations to minimize the amount of cardboard needed to manufacture boxes, helping reduce material costs and waste.
- **Civil Infrastructure & Storage:** Engineers use cylinder volume and capacity calculations to design water storage towers, fuel transport tankers, and pipelines to meet population usage needs.

2. DETAILED EXPLANATION OF CONCEPTS

Core Geometric Definitions

A. Surface Area Framework

The surface area of a solid is the sum of the areas of all its bounding faces. It is measured in **square units** (e.g., cm^2 , m^2). It is split into two primary categories:

- **Lateral Surface Area (LSA) / Curved Surface Area (CSA):** The total area of all the outer faces of an object, strictly **excluding** the areas of its top and bottom bases. For shapes with flat faces (like cubes and cuboids), we use the term **Lateral Surface Area**. For shapes with curved walls (like cylinders), we use **Curved Surface Area**.
- **Total Surface Area (TSA):** The complete surface coverage of the object, calculated by adding the areas of the top and bottom bases to its lateral or curved surface area:

$$\text{TSA} = \text{LSA/CSA} + \text{Area of Top Base} + \text{Area of Bottom Base}$$

B. Volume vs. Capacity Framework


- **Volume:** The total amount of three-dimensional space enclosed by the bounding surfaces of a solid object. It is measured in **cubic units** (e.g., cm^3 , m^3).
- **Capacity:** The total volume of fluid (liquid or gas) that a hollow container can hold. While volume refers to the space a solid object occupies, capacity refers to the internal volume available for storage.
- **Volume-to-Capacity Unit Transformations:**

$$1 \text{ cm}^3 = 1 \text{ mL} \quad | \quad 1000 \text{ cm}^3 = 1 \text{ Litre} \quad | \quad 1 \text{ m}^3 = 1000 \text{ Litres (1 kilolitre)}$$

1. The Cuboid

A **Cuboid** is a solid three-dimensional shape bounded by six rectangular faces. It is defined by three perpendicular linear parameters: length (l), breadth (b), and height (h).

TEXT-BASED VISUALIZATION OF A CUBOID:





Derivations of Cuboid Formulas

- **Lateral Surface Area (Area of 4 Walls):** Excludes the top face ($l \times b$) and bottom face ($l \times b$). It combines the areas of the front and back walls ($2 \times l \times h$) and the two side walls ($2 \times b \times h$):

CUBOID LATERAL SURFACE AREA (LSA)

Formula: $LSA = 2h(l + b)$

Derivation: $2lh + 2bh = 2h(l + b)$. This is equal to the Perimeter of the Base multiplied by the Height.

- **Total Surface Area:** Sums all six rectangular bounding faces together:

CUBOID TOTAL SURFACE AREA (TSA)

Formula: $TSA = 2(lb + bh + hl)$

- **Volume Displacement:** Found by multiplying the baseline surface area by its vertical height:


CUBOID VOLUME


Formula: $V = l \times b \times h$

2. The Cube

A **Cube** is a special type of cuboid where all six rectangular faces are perfectly equal squares. This means its length, breadth, and height are all equal to a single edge length, denoted as a .

TEXT-BASED VISUALIZATION OF A CUBE:





Derivations of Cube Formulas

- **Lateral Surface Area:** Combines the areas of the four vertical square side walls, excluding the top and bottom:

CUBE LATERAL SURFACE AREA (LSA)

Formula: $LSA = 4a^2$

- **Total Surface Area:** Sums the areas of all six identical square faces together:

CUBE TOTAL SURFACE AREA (TSA)

Formula: $TSA = 6a^2$

- **Volume:** Calculated by cubing its edge length:

CUBE VOLUME


Formula: $V = a^3$

3. The Right Circular Cylinder

A **Right Circular Cylinder** is a solid shape generated by rotating a rectangle around one of its sides. It consists of a curved vertical surface and two parallel, congruent circular bases at the top and bottom. Its dimensions are defined by the radius (r) or diameter ($d = 2r$) of its circular base, and its perpendicular height (h).

[Image of a right circular cylinder showing radius r and height h]

TEXT-BASED VISUALIZATION OF A CYLINDER:





Derivations of Cylinder Formulas

- **Curved Surface Area (CSA):** If you unroll the curved side wall of a cylinder flat, it forms a perfect rectangle. The length of this rectangle matches the circumference of the circular base ($2\pi r$), and its width matches the cylinder's height (h). Multiplying these dimensions gives the curved surface area:

CYLINDER CURVED SURFACE AREA (CSA)

Formula: $CSA = 2\pi rh$

Note: The constant value for π (Pi) is typically evaluated as $22/7$ or 3.14 .

- **Total Surface Area:** Calculated by adding the areas of the two circular bases (πr^2 each) to the curved surface area:

CYLINDER TOTAL SURFACE AREA (TSA)

Formula: $TSA = 2\pi rh + 2\pi r^2 = 2\pi r(r + h)$

- **Volume Capacity:** Calculated by multiplying the area of the circular base by the vertical height:

CYLINDER VOLUME

Formula: $V = \pi r^2 h$

3. IMPORTANT TERMS & DEFINITIONS

MENSURATION TERM	MATHEMATICAL DEFINITION	KEY POINT TO REMEMBER
Surface Area	The total sum of the areas of all bounding faces enclosing a solid object.	Always measured in square units (cm^2 , m^2). Indicates external surface coverage.
Volume	The measure of the total three-dimensional space enclosed by a solid object.	Always measured in cubic units (cm^3 , m^3). Indicates space displacement.
Capacity	The maximum volume of fluid material a hollow container can hold.	Linked directly to volume. Measured in liquid capacities like Litres or mL.
Lateral Surface Area	The surface area of a solid strictly excluding the areas of its top and bottom bases.	For a box, this is equal to the area of the four side walls.
Right Cylinder	A cylinder where the central axis runs completely perpendicular to its circular bases.	The height line must meet the baseline radius at a perfect 90° angle.

4. NCERT KEY POINTS

- **Syllabus Focus Restriction:** Under the latest rationalized NCERT guidelines, topics covering cones and spheres have been removed from the Class 9 curriculum. Focus your study time exclusively on mastery of ****Cubes, Cuboids, and Cylinders****.
- **The Single Open-Top Box Variation:** Pay close attention to word problems involving an "open box" or "painting a room excluding the floor." In these cases, you cannot use the standard TSA formula. You must calculate the area using the formula: $\text{Area} = \text{LSA} + 1 \times \text{Base Area}$.
- **Unit Harmonization Law:** Never perform calculations using mixed units (e.g., multiplying length in meters by height in centimetres). Always convert all dimensions to match the same unit before performing addition or multiplication steps.

5. FORMULA SUMMARY TABLE


SOLID SHAPE PROFILE	LATERAL / CURVED AREA FORMULA	TOTAL SURFACE AREA FORMULA	VOLUME DISPLACEMENT FORMULA	VARIABLES MAPPING
Cuboid	$2h(l + b)$	$2(lb + bh + hl)$	$l \times b \times h$	l = length, b = breadth, h = height
Cube	$4a^2$	$6a^2$	a^3	a = uniform edge length
Cylinder	$2\pi rh$	$2\pi r(r + h)$	$\pi r^2 h$	r = base radius, h = height, $\pi \approx 22/7$

6. TABLES & FLOWCHARTS

Concept Differentiation Matrix

ATTRIBUTE COMPARED	SURFACE AREA METRICS	VOLUME / CAPACITY METRICS
Dimensional Scope	Two-dimensional measurement of the outer boundary faces.	Three-dimensional measurement of internal space.
Dimensional Unit	Expressed in square units: cm^2 , m^2 .	Expressed in cubic or fluid units: cm^3 , m^3 , Litres.
Real-World Application	Determining requirements for wrapping, painting, or plastering.	Determining storage capabilities for water, oil, or soil space.

FORMULA SELECTION PROCEDURAL FLOWCHART:



7. MEMORY TRICKS (FAST LEARNING TECHNIQUES)

1. The "Base Multiplication" Secret

You don't need to memorize volume formulas as separate, unlinked facts. The volume of any regular right solid follows a simple rule:

$$\text{Volume} = \text{Area of the Base} \times \text{Height}$$

- For a **Cuboid**: The base is a rectangle (Area = $l \times b$) $\rightarrow$ Volume = $(l \times b) \times h$.
- For a **Cube**: The base is a square (Area = a^2) $\rightarrow$ Volume = $(a^2) \times a = a^3$.
- For a **Cylinder**: The base is a circle (Area = πr^2) $\rightarrow$ Volume = $(\pi r^2) \times h$.

2. Radius vs. Diameter Mnemonic

Always remember: **"Radius is Real half, Diameter is Double."** If an exam problem gives you a diameter, slice it in half immediately before plugging it into any radius variable (r).

8. COMMON MISTAKES STUDENTS MAKE

ERROR 1: CONFUSING CRIVED SURFACE AREA WITH TOTAL SURFACE AREA

The Mistake: Using the full Total Surface Area formula to calculate the cost of painting a cylindrical pillar, which wastes time and leads to incorrect answers by including the covered top and bottom bases.

How to avoid it: Think about the physical object. Pillars are built into floors and ceilings, so their top and bottom bases are hidden. For columns, pipes, and tunnels, always use the ****Curved Surface Area (CSA)**** formula.

ERROR 2: WRONG EXPONENT POWER FOR MEASUREMENT UNITS

The Mistake: Writing volume answers with square units (e.g., 500 cm²) or surface areas with cubic units (e.g., 120 m³).

How to avoid it: Remember the dimension index rule: Area tracks flat space (2D), so it always uses power 2 (m²). Volume tracks solid space (3D), so it always uses power 3 (m³).

9. QUICK REVISION NOTES

- **Cuboid Summary:** $LSA = 2h(l + b)$ | $TSA = 2(lb + bh + hl)$ | $Volume = l \times b \times h$
- **Cube Summary:** $LSA = 4a^2$ | $TSA = 6a^2$ | $Volume = a^3$
- **Cylinder Summary:** $CSA = 2\pi rh$ | $TSA = 2\pi r(r + h)$ | $Volume = \pi r^2 h$
- **Liquid Capacity Rule:** 1 Litre = 1000 cm^3 , and 1 m^3 = 1000 Litres.
- Always double-check that all dimensions are converted to match the same measurement unit before running calculations.

10. ONE-PAGE SUMMARY

This chapter provides a complete framework for calculating outer surface areas and internal space capacities for core three-dimensional shapes:

SHAPE PROFILE	TARGET CALCULATION TYPE	FORMULA BLUEPRINT	UNIT TYPE RULE
Cube Box	Total Outer Faces	$TSA = 6a^2$	Square Units (m^2, cm^2)
Cuboid Box	Internal Space Volume	$V = l \times b \times h$	Cubic Units (m^3, cm^3)
Cylinder Tube	Curved Wall Face Only	$CSA = 2\pi rh$	Square Units (m^2, cm^2)
Cylinder Tank	Total Fluid Space Capacity	$V = \pi r^2 h$	Liquid Units (<i>Litres, mL</i>)

11. MIND MAP

Surface Area and Volume

- 1. Surface Area Metrics (2D Boundaries)
 - Lateral / Curved (LSA/CSA): Excludes top and bottom faces
 - Total Surface Area (TSA): Includes all bounding faces
 - Metric Units: Squared profiles (cm^2 , m^2)
- 2. Volume & Capacity Metrics (3D Enclosures)
 - Solid Displacement Volume: Base Surface Area $\times$ Height
 - Fluid Storage Capacity: Container volume mapped to liquid metrics
 - Conversions: 1 Litre = 1000 cm^3 | $1 \text{ m}^3 = 1000 \text{ Litres}$
- 3. Cube & Cuboid Properties
 - Cube: 6 equal square faces | $\text{TSA} = 6a^2$ | $\text{Volume} = a^3$
 - Cuboid: 6 rectangular faces | $\text{TSA} = 2(lb + bh + hl)$ | $\text{Volume} = l \times b \times h$
- 4. Right Circular Cylinder Properties
 - Curved Side Wall: Unrolls into a rectangle | $\text{CSA} = 2\pi rh$
 - Total Framework: CSA + 2 Base Circles | $\text{TSA} = 2\pi r(r + h)$ | $\text{Volume} = \pi r^2 h$

12. EXAM-ORIENTED IMPORTANT POINTS

- **The "Cost of Construction" Layout:** Exam questions frequently ask you to calculate the cost of cementing or painting a surface at a given rate per square meter. Always split these problems into two clear steps: first, find the correct area using the appropriate surface area formula, then multiply that total area by the given cost rate.
- **Always Verify the Radius Input:** Examiners often give the diameter length in word problems to test your attention to detail. Always divide the diameter by 2 to find the exact radius before plugging it into your cylinder formulas.